



Risk Assessment Form

Event/Activity: Thirtover Place Traversing Wall					Date: 27/1/19	
					Reviewed by:	
					Review Date: 27/1/20	
Event Coordinator: Unit Leader running activity				Numbers Attending:	Adults:	Children:
Consent for Event/Activity forms completed: (circle) Yes No N/A				Venue: Thirtover Place		Instructor qualifications checked* (if applicable) : N/A
Hazard	Who is affected?	What controls are in place?	Risk level (L/M/H)	Are further controls necessary?	Action by & date	Review by & date
Over balancing/ slipping while using wall	Participants	Participants to be properly briefed when using wall Participants to be properly supervised while using wall Users feet must remain on lower rungs at all times Trainers must be worn Equipment not to be used in extreme weather	L	No		
Risk posed by misbehaviour	Participants	Participants to be properly briefed regarding expected conduct when using the equipment. Participants to be told to leave/not use equipment if behaviour does not meet this expectation.	L	No		

Hazard	Who is affected?	What controls are in place?	Risk level (L/M/H)	Are further controls necessary?	Action by & date	Review by & date
Injury during use of wall	Participants	Keep a reasonable distance between participants on wall Users to be individually supervised if not confident Holders can spin - check before wall is used and retighten if required Only grips to be used for support - not the top of wall	L	No		
Injury whilst dismounting from wall	Participants	Participants to step down from wall - do not jump down. Support may be required. Playbark provided underneath wall to break falls	L	No		
Injury due to equipment failure	Participants	Equipment to be checked before each use. Equipment to be inspected annually at start of season.	L	No		